ALK

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

| SECTION A PROPERTY INFORMATION BUILDING OWNER'S NAME | | | | | FOR INSURANCE COMPANY USE | |
|---|--|--|---|--|--|--|
| | | | | | POLICY NUMBER | |
| STREET ADDRESS (Including Apt., Unit, Suite and/or Bidg, Number) OR P.O. ROUTE AND BOX NUMBER | | | | | COMPANY NAIC NUMBER | |
| OTHER DESCRIPTION (Lot and | O ROLLING | HILLS | DRIVE | | | |
| | | VER OA | KS RANCHET | 75 | | |
| CITY | | | | STATE | ZIP CODE | |
| UCA | UMONT. | LOOD BIOLIS | | TEXAS | 77713 | |
| Ozovida Na fallovia a favor i | | | NCE RATE MAP (FIRM) | INFORMATION | | |
| Provide the following from t | T | Instructions): | | | | |
| 1. COMMUNITY NUMBER | 2. PANEL NUMBER | 3. SUFFIX | 4. DATE OF FIRM INDEX | 5. FIRM ZONE | 6. BASE FLOOD ELEVATION (in AO Zones, use depth) | |
| 480878 | 0005 | C | SEPT. 4, 1987 | AE | 26.4 | |
| 7. Indicate the elevation da | tum system used on t | he FIRM for Ba | se Flood Elevations (BFE |): 🗗 NGVD '29 | [] Other (describes a least) | |
| 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: | | | | | | |
| The Community's BFE. C | | A STATE | | | | |
| | | | NG ELEVATION INFORM | | | |
| (b). FIRM Zones V1-V30, the selected diagram, (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fone) the highest grade level) elevated in accost Indicate the elevation dat under Comments on Pagethe FIRM [see Section I equation under Comments.] | AE, AH, and A (with Ent NGVD (or other FIF VE, and V (with BFE) is at an elevation of Label BFE). The floor used the highest grade addition used as the refer adjacent to the building rdance with the commun system used in detection of the converse of the page 2.) It was appears on FIF is the entry of the page 2.) | BFE). The top of the t | Section B, Item 7). If the lowest horizontal str feet NGVD (or other FIR ice level from the selected uilding. In the selected diagram is depth number is available ain management ordinance above reference level elected used in measuring the elected to the datum system used. | r from the selected uctural member of M datum—see See didiagram is | ad diagram is at an elevation of the reference level from oction B, Item 7). Light feet above or ove or below (check is lowest floor (reference No Unknown D'29 Other (describe | |
| 5. The reference level eleva (NOTE: Use of construct case this certificate will or will be required once cons | tion drawings is only vally be valid for the buil Struction is complete.) | ralid if the build Iding during the | ing does not yet have the course of construction. | reference level t A post-constructi | on Elevation Certificate | |
| S. The elevation of the lowest grade immediately adjacent to the building is: 1 1215 3 feet NGVD (or other FIRM datum-see Section B, Item 7). | | | | | | |
| (· | SE | CTION D CO | MMUNITY INFORMATIO | N . | , | |
| If the community official re is not the "lowest floor" as floor" as defined by the or Date of the start of constr | dinance is: | LI.L. feet N | In management ordinance | a the elevation of | ficated in Section C, Item 1 . f the building's "lowest , Item 7). | |


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifer is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

| CERTIFIER'S NAME | | LICENSE NUMBER (or Affix S | Seal) |
|------------------|-------------|---|--|
| PRINCIPAL | L.P.Ca | MMACK-SUR | VEYOR |
| TITLE | COMP | ANY NAME | |
| 7165 SWE | | BEAUMIONT | STATE ZIP |
| ADDRESS ADDRESS | imach) city | 12-27-94 | (409) 753-2207 |
| SIGNATURE | | DATE | PHONE |
| | | | A Company of the comp |
| COMMENTS: | | 100 m | 10 Y 3 9 0% a square service |
| COMMENTS: | | (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | |
| COMMENTS: | | L P CAMMACK JA | |
| COMMENTS: | | CAMMACK JA | |



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.